



OCEAN PINES ASSOCIATION, INC.

239 OCEAN PARKWAY

OCEAN PINES, MARYLAND 21811

Architectural Review Committee

Guidelines

Revised
March 2020

TABLE OF CONTENTS

	PAGE
INTRODUCTION _____	3
100 GENERAL PROVISIONS	
SECTION 100.1 Purpose _____	5
SECTION 100.2 Objectives _____	6
SECTION 100.3 ARC Function _____	7
SECTION 100.4 General Design Guidelines _____	7
200 PLAN SUBMITTAL PROCEDURES AND CONSTRUCTION REQUIREMENTS	
SECTION 200.1 New Work Preliminary Submittal _____	9
SECTION 200.2 Plan Review _____	9
SECTION 200.3 Additions/Alterations to Existing Houses _____	11
SECTION 200.4 Outbuilding and Other Structures _____	12
SECTION 200.5 Fencing _____	16
SECTION 200.6 Docks/Lifts _____	19
300 SPECIFIC DESIGN REQUIREMENTS AND PLAN REVIEW FOR NEW HOMES	
SECTION 300.1 General _____	21
SECTION 300.2 Design Requirements _____	21
SECTION 300.3 Procedures _____	24
400 LANDSCAPING	
SECTION 400.1 Objective _____	24
SECTION 400.2 Landscape Plan _____	24
SECTION 400.3 Requirements _____	25
500 REQUIREMENTS AFTER PLAN APPROVAL	
SECTION 500.1 Requirements During Construction _____	27
SECTION 500.2 Requirements Before Deposit Money Can Be Refunded _____	28
SECTION 500.3 CPI Department Inspections _____	29
SECTION 500.4 Utilities _____	30

600 SIGN REGULATIONS

SECTION 600.1 General _____ 30

SECTION 600.2 General Criteria _____ 31

SECTION 600.3 Specific Sign Criteria _____ 31

SECTION 600.4 Unauthorized Signs and Flags _____ 34

700 HOME-BASED BUSINESSES

SECTION 700.1 General _____ 34

SECTION 700.2 Conditions for Home-Based Businesses _____ 35

SECTION 700.3 Application to ARC for Home-Based Business _____ 36

800 OVERSIZE VEHICLE, RV, AND TRAILER REGULATIONS

SECTION 800.1 Purpose _____ 36

SECTION 800.2 Specific Guidelines _____ 37

SECTION 800.3 Permit Procedures _____ 37

900 SOIL EROSION AND SEDIMENT CONTROL

SECTION 900.1 Purpose _____ 38

SECTION 900.2 Requirements _____ 38

1000 SATELLITE DISHES

SECTION 1000.1 Purpose _____ 39

SECTION 1000.2 Guidelines _____ 39

1100 SUPPLEMENTARY GUIDELINES

SECTION 1100.1 Vehicle Storage _____ 40

SECTION 1100.2 Ocean Pines Easements _____ 40

Exhibit 1: Allowable Coverage Table _____ 41

GLOSSARY _____ 42

INDEX _____ 46

INTRODUCTION

The appeal of Ocean Pines depends on the cooperation of residents and property owners in creating and maintaining clean and aesthetically pleasing homes and surroundings. The privileges of residing in pleasant surrounds are not without responsibility. While mutual courtesy and consideration are certainly requisites, the existence of an independent Committee to ensure that standards of residential design and maintenance are adhered to is of utmost importance.

The Environmental Control Committee (ECC) was specifically formed to address these issues. The Committee is comprised of three members and two alternates from the Community who are appointed by the Ocean Pines Association Board of Directors to address permit requests, formulate guidelines, and monitor compliance with the Declaration(s) of Restrictions and these Guidelines. The primary goal of the Committee is to ensure that the property owner continues to enjoy the property values and amenities that go together with life in Ocean Pines.

The Environmental Control Committee (ECC) was formed and named in 1968. In 2000 the name of the Committee was changed to the Architectural Review Committee (ARC), a name which more appropriately describes the role of the Committee. While the Declarations of Restrictions reference the original name for the Committee, these Guidelines utilize the newer name unless directly quoting the Declarations of Restrictions.

In these Guidelines, the responsibilities for specific areas of the Guidelines fall to both the Architectural Review Committee, herein called the ARC, or the Compliance, Permits, and Inspections Department staff, herein call the CPI Department. The CPI Department is a paid staff of professionals that handle the day to day requests for information, applications for permits and variance requests, and inspections. It is also the responsibility of the CPI Department to issue letters when violations of the Declarations of Restrictions and the ARC Guidelines are determined to have occurred.

Each individual Section of the Community has its own Declaration of Restrictions. These must be followed and may be more restrictive than the ARC guidelines. The more restrictive must be followed. Both these Guidelines and the individual Declaration of Restrictions for the appropriate Section must be reviewed in order to ensure complete compliance with all applicable requirements.

It should also be understood that failure of either the Committee or the CPI Department to act immediately upon any violation does not constitute acceptance or approval.

IN SOME CASES, IN ADDITION TO THE APPROVAL FROM OCEAN PINES, THE HOMEOWNER WILL ALSO NEED THE APPROVAL OF WORCESTER COUNTY BEFORE STARTING A PROJECT. THERE CAN BE DIFFERENCES BETWEEN THE REQUIREMENTS OF THE COUNTY AND OCEAN PINES. THE HOMEOWNER NEEDS TO UNDERSTAND THAT WHERE DIFFERENCES EXIST, THE STRICTEST GUIDELINE WILL BE ENFORCED.

Terms used in these Guidelines are defined in the Glossary.

Section 100. General Provisions

Section 100.1 Purpose

A. Authority. The Declaration of Restrictions for each Section of Ocean Pines authorizes the Architectural Review Committee (ARC) to implement certain portions of the Restrictions and the Guidelines. The ARC has recommended, and the Board of Directors has approved these Guidelines. Reasonable consideration has been given to the character of each separate Subdivision (Section) of the Community and to the requirement of orderly development of the Community as a whole.

B. Public Health, Safety, and Welfare. The primary consideration in the adoption of these Guidelines is to ensure owners and their guests maximum enjoyment from the use of the common elements in relation to their lots and protect, preserve, enhance, and perpetuate maximum property values and aesthetic character consistent with the health, safety, and general welfare of the owners within the community. The Guidelines are subject to change by the ARC, with concurrence by the Board of Directors at any time with thirty (30) days prior notice so long as the changes are consistent with the Declarations, By-Laws and plats.

C. Restrictions. All actions of the ARC shall be guided by the purpose contained in the Objective and Design Requirements herein, by the Declarations of Restrictions for each section of Ocean Pines and by the Worcester County Zoning Ordinance. The requirements of the Ordinance, particularly regarding building setbacks, may be different from the Restrictions. The ARC will apply the stricter of the setbacks described. The Restrictions require that any structure to be erected, or improvement to be made, on a numbered lot in Ocean Pines shall require approval in writing from the CPI Department before any work can begin. However, property owners are individually responsible for compliance with the Worcester County Zoning Ordinance.

D. Permits. Permits are issued by the ARC and are required before any structure can be erected on any numbered lot in Ocean Pines. The permitting process begins by submitting an application (from the CPI Department) and paying fees and other charges as may be required.

E. Fees and Deposits. These are established and approved by the Board of Directors and are subject to change without notice. Applicants should contact the CPI Department to ensure the schedule is current.

F. Forms. The various forms referred to in these guidelines are available at the CPI Department office and on the OPA Website (www.oceanpines.org).

G. Variances to the Declarations of Restrictions. Variances from any restriction will first require ARC approval and subsequent approval (if necessary) from

the Worcester County Board of Zoning Appeals. The ARC may allow reasonable variances and adjustments of these Restrictions in order to overcome practical difficulties and prevent unnecessary hardships in the application of the provisions contained herein; provided, however, that such is done in conformity with the intent and purpose hereof and provided also that in every instance such variance or adjustment will not be materially detrimental or injurious to other property or improvements in the neighborhood, the Section or the Subdivision. As a courtesy, and at the discretion of the ARC, notification to adjacent property owners will be made and the adjacent property owners' comments requested.

H. Exceptions to the Guidelines. An exception to the Guidelines is not a variance, which only refers to adjustments to restrictions found in the Declarations of Restrictions. An exception refers strictly to items found only in the Guidelines, such as height criteria or buildable area. The ARC will consider an exception to the Guidelines when the request will not be materially detrimental or injurious to adjacent properties ("does no harm"), to the best of their knowledge does not exceed any Worcester County Codes, meets the needs of the owners and makes sense. As a courtesy, notification to adjacent property owners may be made and the adjacent property owners' comments requested.

Section 100.2 Objectives

A. To preserve the natural beauty and setting of the Ocean Pines subdivision and to prevent indiscriminate clearing of property, removal of trees and earthmoving.

B. To ensure that the location and configuration of structures are visually harmonious with their sites and surrounding sites and structures and do not unnecessarily block scenic views from existing buildings or tend to dominate the developed areas of the natural landscape.

C. To ensure that the architectural design of the structures and their materials and colors are visually harmonious with Ocean Pines' overall appearance, with surrounding development, with natural land forms and native vegetation and with approved or proposed development plans, if any, for the areas in which the structures will be located.

D. To ensure that plans for landscaping of open spaces conform to the regulations prescribed herein, provide visually harmonious settings for structures on the same site and on adjoining and nearby sites, and blend with the natural landscape.

E. To prevent any neighborhood from evolving into a "tract development" appearance caused by repetitive plans of similar style houses, and to prevent the lowering of property values in any neighborhood.

Section 100.3 ARC Function

A. The successful execution of the design approval function performed by the ARC necessarily requires that a great deal of judgment be exercised. The ARC is charged with preserving the quality of the residential environment and protecting property values.

B. Insofar as it is possible, the ARC carefully considers the needs and desires of each property owner in the review and approval of plans. However, the ARC must act in the best interest of the overall community and preserve the value of other properties in the development and the value of Ocean Pines through its decisions.

C. Every one of the guidelines is hereby declared to be independent of and severable from every other one of the guidelines and from every combination of the guidelines. Therefore, if any of the guidelines should be held to be invalid or to be unenforceable, that holding shall be without effect upon the validity or enforceability of any one of the other guidelines.

Section 100.4 General Design Guidelines. It is strongly recommended that persons interested in building, or remodeling, obtain professional design assistance for their projects; that is, an architect, landscape architect, land planner, or other professionally recognized design consultant familiar with local codes and restrictions, as there are certain code requirements required by Worcester County Planning, Permits and Inspections, the ARC Guidelines, and the Declarations of Restrictions.

A. **Design Criteria.** Each home should be designed for its specific lot. A physical inspection is required, taking into consideration its site-specific conditions and any potential future modifications and/or additions.

1. The exterior design, position, texture and color should be different from other homes within three across the street, one on either side and one behind.

2. Strictly rectangular house plans with continuous flat walls should be avoided. A break in wall lines should especially occur on any street fronting elevation. No totally blank walls on the street front elevation will be approved.

3. Colors should be used to complement or highlight features.

4. Greater distance may be required between similar homes in some areas to prevent the appearance of design repetition. See Section 300.

5. All exterior structural and finish details should be designed to blend as one single architectural unit (the finished home).

6. Textured or smooth materials may be used in exterior finish to achieve variety, but not at the expense of sacrificing architectural continuity. On the other hand, monotony is to be discouraged.

B. Coverage Criteria. In general, the bulk (height, width, length) of the on-site structures shall not be proportionally excessive for the lot on which it is placed.

1. Building Area. Lots with a building area (gross area less setbacks) of 2,000 square feet or less may cover 100% of the building area. Coverage on lots with a building area over 2,000 square feet shall decrease from 100% to 55% as the building area approaches 5,000 square feet (See Exhibit 1). All lots with building areas 5,000 square feet or more will be limited to 55% coverage. Open decks will not be included in the building coverage calculation. Note: future enclosure of open decks may not be permitted if the original building area covers the maximum allowed. For purposes of coverage determination only, corner lots will be based on County setbacks.

2. "Excess Open Space." In addition to the coverage permitted in Section 100.4.B.1 above, in all sections of the Ocean Pines Subdivision which include single family detached numbered residential lots, if more than 30% of the total land area of such section is dedicated for open space or for use for storm water management purposes and is not included in the area of any lot or parcel to be sold to members of the general public or in a parcel to be used for community uses or for tennis courts, swimming pools, golf courses, marinas or other active recreational uses, ("Excess Open Space"), then each single-family numbered residential lot in such section shall be entitled to an additional coverage credit equivalent to the total number of square feet of Excess Open Space in the section divided by the total number of single-family numbered residential lots in the section.

3. Setback Modifications. The following architectural features may project into any required front yard or rear yard setback and, subject to the conditions specified, may project into any required side yard a distance not to exceed one-fifth (1/5) of the width of such required side yard:

a) Cornices, eaves, or other architectural features, not walls, may project a distance not exceeding three (3) feet.

b) Fire escapes may project a distance not to exceed six (6) feet.

c) An unenclosed landing not to exceed twenty-five (25) square feet with necessary stairs or ramp may project a distance not to exceed six (6) feet. Such features may be covered by a roof but not enclosed except by railings.

d) Bay windows, balconies and chimneys may project a distance not to exceed three (3) feet, provided that such features do not occupy, in the aggregate, more than one-third of the length of the wall on which they are located; and an unenclosed handicapped ramp not exceeding the minimum standards to provide safe access as set forth in the current Maryland Accessibility Code and C.A.B.O. One- and

Two-Family Building Code, or their successors, may project a distance not to exceed ten feet into the ordinance required front yard setback. The handicapped ramp may project any distance into the rear yard setback. However, in no event can a handicapped ramp be closer than fifteen (15) feet to the landward edge of any pier, dock, bulkhead, riprap, etc. Such feature may be covered with a roof but not enclosed except by railings.

C. **Height Criteria.** No single-family structure shall exceed thirty-five (35) feet in height, as measured from the average finished grade around the house foundation to the highest point of the roof. (See Section 400.3D for maximum fill depth.)

Section 200. Plan Submittal Procedures and Construction Requirements

Section 200.1 New Work Preliminary Submittal. The ARC will, at the request of the applicant, review plans at a conceptual stage prior to formal submission. This preliminary review will facilitate communications and expedite formal submission review.

Section 200.2 Plan Review (Note: for specific design requirements see Section 300).

A. **General.** All plans and specifications for any structure or improvement whatsoever to be erected on or moved upon or to any lot, and the proposed location thereof on any lot or lots, the construction material, the roofs and exterior color schemes, any later changes or additions after initial approval thereof and any remodeling, reconstruction, alterations or additions thereto on any lot shall be subject to and shall require the approval in writing from the ARC before any such work is commenced. Homeowners should be aware that Maryland law requires that a contractor performing this work must have a Maryland Home Improvement license, and the license number shall be included on the application.

B. **Information Required.** The information to be submitted to the CPI Department shall include but not be limited to the following:

1. **Plan Application.** Two (2) copies of the Application for Plan Approval signed by the owner and builder.

2. **Floor Plans and Elevation Drawings.** Two (2) complete sets of final floor plans and two (2) complete sets of the elevations showing all views of the structure which include decking, screened porches, steps, and landings and drawn to ¼" = 1' scale. Plans shall consist of architectural quality drawings in enough detail to determine if all requirements can be met. The architectural plans and specific details on the application must be consistent with each other. Alterations or revisions to the plans submitted shall be consistent with the quality of the original plans. Revised floor plans and elevations are not acceptable. The floor plans and elevations

submitted are to be true reflections of the structure to be built on site. No revised lettering or dimensions on submitted documents will be accepted. No documents with excessive red marks or pencil marks noting revision of building design will be accepted. Future optional additions/alterations shall not be included in the submitted drawings.

3. Site Plans. Three (3) copies of a site plan drawn to a scale of 1" = 30' or 1" = 20' and showing the following:

- a) Section and lot number
- b) Site configuration and dimensions
- c) Scale
- d) North Indication
- e) All building restriction lines and easements
- f) Proposed location of house and other structures including decks, porches, landings, steps, driveways, culverts, detached garages, and detached sheds.
- g) Elevations of key points referenced to mean sea level, including the WCSC holding tank, the lowest habitable floor level of the structure, property corners and midpoint of side property lines. (Reference Section 300)
- h) Restrictive County zoning classification of lot Wetlands (if applicable).

4. Landscape Plan. Two (2) copies of the final landscape plan drawn to a scale of 1" = 30' or 1" = 20' are required, if applicable. The plan shall comply with the requirements of Section 400, Landscaping Requirements.

5. Completion Agreement and Deposit. Cash, check or money order payable to the Ocean Pines Association shall accompany the Completion Agreement (form available at the CPI Department office). Contact the CPI Department office for the current fee. The Completion Agreement assures that construction will comply with the objectives and requirements as stated in the Ocean Pines Declarations of Restrictions and the ARC Guidelines. The completion deposit is refundable upon final inspections and approval of the house and landscaping by the CPI Department.

6. Color Samples. Color samples of all exterior finishes, including roofing material, siding and trim shall be submitted with the application, unless samples are on file with the CPI Department. Submissions must include manufacturer's name, code number, if applicable and any other pertinent information.

7. Installation Plan for Modular Homes. An installation plan shall be submitted, indicating the area to be cleared for the location of the erecting equipment.

Maximum care should be taken to retain trees between crane site and property line. (See Section 400).

8. Installation Plan for Certified Pre-Existing New Homes. Before an installation of pre-existing new home is permitted, certification by a registered home inspector that the home is of new material and has never been occupied as a residential unit elsewhere shall be submitted to the ARC. An installation plan shall be submitted, indicating the area to be cleared for placement on the site. Maximum care shall be taken to retain trees and natural ground cover on the site (See Section 400.3).

9. Worcester County Permits. A copy of the approved Worcester County Building Permit is required at the time of plan submittal. Worcester County Building Permit information is available at the Isle of Wight County office or the Courthouse in Snow Hill, MD.

C. Lot Ownership and OPA Assessments Paid. Before an application for any permit can be approved and plans released, OPA records must indicate that the property is in the applicant's name and all monies owed to the Ocean Pines Association must be paid in full. Proof of ownership, or valid contract, may be necessary before plan approval. The owner may authorize a builder to act in his behalf to submit plans or changes to the CPI Department for approval until such time as the owner advises the CPI Department otherwise.

D. Approval/Disapproval. In accordance with the Declarations of Restrictions, all plans shall be approved or disapproved within thirty (30) days from their receipt unless an extension is granted by the CPI Department.

Section 200.3 Additions/Alterations to Existing Houses.

A. General. All plans and specifications for any structure or improvement whatsoever to be erected on or moved upon or to any lot, the proposed location thereof on any lot or lots, the construction material, the roofs and exterior color schemes, any later changes or additions after initial approval thereof and any remodeling, reconstruction, alterations, or additions thereto on any lot shall be subject to and shall require approval of the ARC, as the same is from time to time composed, in writing, before any such work is commenced. Homeowners should be aware that Maryland law requires that a contractor performing this work must have a Maryland Home Improvement license, and the license number shall be included on the application.

B. Design Requirements. All exterior materials, roof slopes and colors of exterior walls and roof shall be the same as that of the existing house and roof. While it is desirable materials and colors of the exterior walls and roof shall be the same as that of the house, it is to be understood that because of nature or the availability of existing materials exact matches may not be possible. However, when exact matches

are not possible it is required that the proposed colors be submitted to the ARC for approval. Minimum roof pitch of 2:12 is required. Some exceptions of new materials may be approved if all blend together as one single architectural unit (see Section 300). Landscaping is required to screen all foundation work and all decks and screened porches which are 18 inches or more above ground level (see Section 400).

C. **Information Required.** See Section 200.2 B.

Section 200.4 Outbuildings and Other Structures.

A. **Placement and Design.** The placement and design of outbuildings and other structures on any numbered lot in Ocean Pines requires an ARC permit, review and approval. These structures include, but are not limited to sheds, carports, gazebos, fences, detached garages, play and pet enclosures and swimming pools. These structures as well as all play and sports equipment (except basketball goals) must be located behind the front foundation lines of the primary structure. Neither portable nor permanent basketball goals may be placed in a street or within fifteen (15) feet from the street edge. Only commercially manufactured portable goals are permitted. Note: Homeowners should be aware that Maryland law requires that a contractor performing work on outbuilding structures is required to have a Maryland Home Improvement license.

B. **Sheds.** The procedure for submitting plans to locate or construct a shed in Ocean Pines is the same as that outlined in Section 200.2.B. In addition, the following restrictions apply:

1. Sheds shall be limited to one unit per lot and be no larger than one hundred and twenty (120) square feet maximum in floor area. Maximum wall height will be eight (8) feet. No 2-story sheds will be allowed.

2. While it is desirable that the materials and colors of the exterior walls and roof be the same as that of the house, it is to be understood that due to the effects of nature or the availability of existing materials exact matches may not be possible. However, when exact matches are not possible it is required that the proposed colors be submitted to the ARC for approval. Metal sheds are not permitted on residential lots. Any acceptable material used should be able to withstand a marine climate.

3. Shed roof pitches: no flat or single sloped roof styles will be allowed.

4. A shed shall not be located any closer than six (6) feet from any other structure or the side property line, provided the shed is located outside the rear building restriction line in its entirety. Should any portion of the outbuilding be within the rear setback, the side setback location will be determined by Worcester County

Zoning Board. The shed shall be no closer than ten (10) feet from the rear property line and fifteen (15) feet from the bulkhead. Sheds shall be located behind the front foundation line of the main structure.

C. Storage Structures. Storage structures shall be limited to one unit per lot and be less than twenty (20) sq. ft. in floor area and 78 inches or less in height. A permit is required.

1. Metal storage structures are not permitted on residential property. Storage structure material should be able to withstand a marine environment.
2. If possible, storage structures should be placed against the rear surface of the main structure.
3. No storage structures are allowed in front of the main structure foundation lines.
4. The color requirements, specified in Section 200.3.B also apply for storage structures.

D. Detached Garages. The procedure for submitting plans to construct a detached garage is the same as that outlined in Section 200.2.B. The following restrictions also apply:

1. It shall be architecturally compatible to that of the house, including height, materials, color, roof style and pitch.
2. It shall have a concrete floor and be not less than a one-car design (12 feet x 20 feet), but not greater than a two-car design (24 feet x 28 feet).
3. It shall have a connecting, usable driveway. The minimum width for a driveway shall be eleven (11) feet in accordance with the Architectural Graphic Standard. (See Section 300.2.j. for driveway specifications).
4. A detached garage shall not be located any closer than six (6) feet from any other structure. Garages located behind the house shall not be less than six (6) feet from the side property line, ten (10) feet from the rear property line, and fifteen (15) feet from the bulkhead, provided the garage is located outside the rear building restriction line in its entirety. Should any portion of the garage be located within the rear setback, the side setback location will be determined by Worcester County Zoning. Garages located in front of the main structure shall be within the side and front building restriction lines.

E. Detached Carports. The procedure for submitting plans to construct detached carports (see definition in the Glossary) in Ocean Pines is the same as that outlined in Section 200.2.B. The following restrictions also apply:

1. It shall be architecturally compatible to the house, including height, materials, color and roof style pitch. At a minimum, it shall have a floor of stone.
2. It shall be not less than 12 feet x 20 feet but not greater than 24 feet x 28 feet in size.
3. It shall have a connecting, usable driveway. The minimum width for a driveway shall be eleven (11) feet (See Section 300.2.J. for driveway specifications).
4. It shall not be located any closer than six feet from any other structure. Carports located behind the house shall not be less than six (6) feet from the side property line, ten (10) feet from the rear property line, and fifteen (15) feet from the bulkhead, provided the carport is located outside the rear building restriction line in its entirety. Should any portion of the carport be located within the rear setback, the side setback location will be determined by Worcester County Zoning. Carports located in front of the main structure shall be within the side and front building restriction lines.

F. Fire Pits. The Declarations of Restrictions in all sections of Ocean Pines prohibit outside burning of wood, leaves, trash and garbage. However, Ocean Pines believes that when properly installed, safely used and subject to appropriate guidelines for their use a self-contained, wood burning fire pit presents minimal risk to the Community. Therefore, wood burning Fire Pits will be exempt from the outdoor burning restriction. Homeowners must be aware that failure to strictly adhere to these requirements will result in the revocation of their use of, and possibly the removal of, their Fire Pit. The following requirements will apply:

1. All Fire Pits must be appropriately approved by CPI prior to its use. If a Fire Pit is to be permanently installed it must be done so using materials approved for its purpose. A permanently installed Fire Pit will require an appropriate permit. It must be shown on the lot survey and conform to the location requirements in Paragraph 7 below. A portable Fire Pit is considered personal property and does not require a permit. Homemade portable fire pits are not permitted. However, The Association must be made aware of the existence of any newly purchased portable Fire Pit. The homeowner must follow the same steps required to grandfather a previously existing Fire Pit to authorize its use.

2. Pre-existing Fire Pits are not exempt from these guidelines and can be grandfathered provided the following procedure is followed:

- a. Grandfathering of Existing Wood Burning Fire Pits.

- I) The Homeowner must notify the CPI Department of the existence of a Fire Pit on their property.

ii) The notification must contain the property address and a photo of the Fire Pit.

iii) A representative of the CPI Department will come and inspect the Fire Pit to determine if it can be safely used.

iv) The CPI Department will respond with a letter acknowledging the Fire Pit has been grandfathered.

v) The homeowner should notify their homeowner's insurance company of the existence of a Fire Pit.

3. The only fuel allowed to be burned in a wood burning Fire Pit is dry seasoned hardwood or charcoal. Pine cannot be burned.

4. Wood burning Fire Pits must always use a mesh spark screen. Wood burning Fire Pits cannot be any larger than three (3) feet in diameter and two (2) feet in height.

5. Wood burning Fire Pits may be filled only up to a maximum of 70% of their capacity, with flames limited to two (2) feet high by three (3) feet wide.

6. The only fuels allowed to be burned in a gas Fire Pit are propane gas or natural gas. If the fuel source cannot be concealed within the unit it must be appropriately screened as determined by the ARC.

7. A Fire Pit shall not be located closer than ten (10) feet from any other structure, not less than six (6) feet from the side property line, and if permanently installed, not less than ten (10) feet from the rear property line or fifteen (15) feet from the bulkhead. All Fire Pits must have at least ten (10) feet of clearance from overhead branches and cannot be placed under a covered porch.

8. An area at least 4 feet wide around the entire Fire Pit must be kept free of all flammable material.

9. Fire Pits must be placed on a level brick, stone, concrete or other non-combustible surface.

10. The use of any type of accelerant (lighter fluid, gasoline, etc.) as a fire starter is prohibited. If paper is used it must be weighed down by the wood.

11. There must be a steady supply of water (for wood burning Fire Pits) or an appropriately rated fire extinguisher or other extinguishing device nearby for all Fire Pits.

12. An adult must always be present.

13. Burning of plastic, painted or treated wood, rubber, leaves, grass, pallets or household trash is strictly prohibited.

14. Fire Pits may not be used in wind over 15 miles per hour.

15. The homeowner should notify their homeowner's insurance company of the existence of a Fire Pit.

Section 200.5 Fencing

A. General. The ARC shall have the authority to set up regulations as to the height and size requirements for all other types of outbuildings and structures, including fences, walls, copings, etc. No fences shall be permitted on any lot or lot line except where, in the opinion of the ARC, a fence or other structure or aesthetic feature of a design concept, will contribute to and be in keeping with the character of the area.

B. Play and Pet Enclosures. The ARC is authorized to allow the construction of these structures with the following guidelines:

1. The enclosure design must be architecturally and aesthetically compatible with the house.
2. The enclosure shall be behind the front foundation line of the main structure and shall not extend beyond the side BRL (building restriction line), or closer than ten (10) feet from the rear property line. Enclosures will be located no closer than fifteen (15) feet to the bulkhead cap.
3. The enclosure shall not be higher than 48 inches and shall not be constructed of metal posts, metal rails, or wire mesh.
4. The outside perimeter shall have shrubs or plantings enough to screen the enclosure. Generally, plantings every three feet with a minimum height of 18 inches for a 4-foot-high fence is appropriate. This will be determined by the ARC on a case by case basis. If an enclosure is not screened within one year after approval or the plantings are not maintained, the enclosure must be removed.
5. If at any time the enclosure falls into disrepair, it must be removed at the owner's expense within 60 days. This agreement will be part of the signed permit.
6. The enclosure must be completed within six months of approval (issuance of permit) and the required screening of the enclosure from view must be completed within an additional six months.
7. The following shall be submitted to the ARC:
 - a) A filing fee and a review/inspection fee.
 - b) A Completion Agreement and deposit to accompany the Completion Agreement assuring that the construction will comply with the objectives and requirements as stated in the Declarations of Restrictions and the ARC

Guidelines. The completion deposit is refundable upon final inspection and approval of the fencing and landscaping by the CPI Department.

c) Two (2) completed copies of the "Application for Fencing" (forms available at the CPI Department office).

d) Two (2) copies of a site plan showing the proposed location of the enclosure and the types and locations of plantings outside of the enclosure.

C. Dog Runs. The ARC is authorized to allow pre-manufactured dog runs up to 72 square feet in area and six (6) feet in height.

1. The dog run shall be behind the front foundation line of the main structure and shall not extend beyond the side BRL (building restriction line), or closer than ten (10) feet from the rear property line. Dog runs will be located no closer than fifteen (15) feet to the bulkhead cap.

2. The outside perimeter shall have shrubs or plantings enough to screen the enclosure. Generally, plantings every three (3) feet with a minimum height of 30 inches for a 6-foot-high fence is appropriate. This will be determined by the ARC on a case by case basis. If a dog run is not screened within one year after approval or the plantings are not maintained, the dog run must be removed.

3. If at any time the dog run falls into disrepair, the owner must remove it at his expense within 60 days. This agreement will be part of the signed permit. The dog run must be completed construction within six months of approval (issuance of permit) and the required screening of the dog run from view must be completed within an additional six months.

4. Submissions required for ARC review are the same as in Section 200.5.B.7, except the form is for Dog Run.

D. Privacy Fencing. A privacy fence will be permitted provided the following guidelines are met.

1. The design must be architecturally and aesthetically compatible with the house.

2. The maximum height of the privacy fence at any point shall not exceed six (6) feet from the ground directly below.

3. The total length of the privacy fence shall not exceed twenty-four (24) feet and must be contiguous.

4. The privacy fence shall be behind the front foundation line, no closer than five (5) feet from the side property line or no closer than fifteen (15) feet to the bulkhead.

5. Privacy fencing located within the utility easement will require the owner to sign a maintenance agreement with the OPA. The cost of recording the agreement will be borne totally by the property owner.

6. The location of the privacy fence shall not block the adjoining property owners' view of a golf course or waterway. The outside perimeter shall have shrubs or plantings enough to screen the fence. Generally, planting every three (3) feet with a minimum height of 30 inches for a 6-foot-high fence is appropriate. This will be determined by the ARC on a case by case basis. If a fence is not screened within one year after approval or the plantings are not maintained, the fence must be removed. The fence must be completed within six months of approval (issuance of permit) and the required screening of the fence from view must be completed within an additional six months.

7. Submissions required for ARC review are the same as in Section 200.5.B.7, except the form is for Privacy Fence).

E. Temporary Fencing. Fencing will be allowed to be erected around vegetable gardens and newly landscaped areas provided the following guidelines are followed. No permit is required.

1. At no point shall any part of the fence exceed two feet above the ground.

2. The fencing will be removed after the completion of the vegetable growing season and/or the newly landscaped area is established.

F. Architectural Fencing. Architectural fencing is permitted provided the guidelines below are followed. Architectural fencing is not to be used as an enclosure for pets or children.

1. At no point shall any part of the fence exceed four (4) feet from the ground.

2. The design must be architecturally compatible with the residence using style, color and details.

3. No gates/fencing will be allowed to cross a driveway.

4. Fencing located within a utility easement will require the owner to sign a maintenance agreement with OPA. The cost of recording the agreement will be borne totally by the property owner.

5. Submissions required for ARC review are the same as in Section 200.5.B.7, except the form is for Architectural Fence).

Section 200.6 Docks/Lifts.

A. General. Whenever the ARC shall approve plans and specifications for a pier or similar structure on or extending into any waterway, such approval shall constitute a mere revocable privilege from Declarant or its successor or successors in interest for the construction, placement and maintenance of the proposed structure. Other regulations on this subject include the Worcester County Shoreline Commission; the Department of Natural Resources; the Army Corp of Engineers; the Worcester County Critical Bays Legislation; Worcester County Planning and Permits. Docks and other devices are approved on an individual basis and consideration is given to the protection of the bulkheads and marine traffic.

B. Objective. To allow waterfront property owners reasonable use of riparian rights, to provide for the navigation of all marine traffic and to keep the environmental and visual impact to a minimum.

C. Requirements. All docks/piers/lifts should be centered on the bulkheaded waterfront and located within the dimensions of the side BRLs of the property as extended to the waterfront. Adjustments to this requirement will be considered on a case by case basis.

1. Impact on adjacent properties. No dock, lift, out piling, etc. shall unreasonably limit the navigation or mooring ability of surrounding waterfront properties.

2. No dock/pier shall exceed two hundred (200) square feet in area. This limitation includes both fixed and floating docks.

3. Number of boat lifts/davits. Only one boat lift per lot is allowed with bulkhead length of 100 feet or less. An additional boat lift for lots with 100 feet or less of bulkhead may be considered where finger piers are utilized, with proper approval and within the required side lot BRL. A maximum of two boat lifts are allowed for lots with over 100 feet of bulkhead. Only one davit per waterfront lot shall be allowed except two are allowed when used as a boat lift.

4. Personal Watercraft (PWC). Two personal watercraft lifts, each with one PWC capacity, or one lift with a two PWC capacity, may be approved. The personal watercraft lifts may not be used to store a boat.

5. Dock Box. One dock box of a size the same as or smaller than six (6) feet wide, 30 inches deep and 30 inches tall can be affixed to the dock. A dock box is not included in the restriction for sheds or storage structures contained in Section 200.4.

6. Walkways. In areas where bulkheads are formally scheduled to be replaced, a walkway not to exceed three (3) feet in length is allowed. This walkway will not be included in the two hundred (200) square foot dock area limit. In areas where walkways are needed over wetlands the length will be limited to the minimum needed to access the dock and will not exceed three (3) feet in width. The square footage of the walkway will not be included in the dock area. Consideration will be given to the permit issued by the Army Corps of Engineers.

7. Extension into Canal. On canals over eighty (80) feet wide, structures measured laterally from any bulkheaded lot to the center of the canal cannot exceed 25 % of the total canal width. This will include any out pilings, lifts or beam width of anticipated boats for mooring purposes. On canals less than eighty (80) feet wide, a distance of twenty (20) feet from the center of the canal measured laterally to the bulkheads on either side must be left open for navigation, creating a minimum center clear canal distance of forty (40) feet.

8. Secondary Use. Boathouses, tents or other structures on docks or over boats are prohibited. Unless a variance is given, no dock will be constructed on undeveloped properties. Docks will be considered for undeveloped lots only if plans for the house are in the working stages with the ARC. If house construction is not completed within one year from dock approval, the dock must be removed at the owner's expense. Also, a limited variance to construct a dock, lift, etc. may be granted to an owner whose principal residence is on a lot adjoining the unimproved property upon which the construction of the dock, lift, etc. is sought. The variance will provide that if the unimproved property is sold, the dock, lift, etc. will be removed by the owner, unless house construction has started within one (1) year from the date of sale.

D. Bulkhead Restrictions. The following regulations apply to all docks (stationary or floating) and other types of mooring devices.

1. No attachments to the bulkhead system are permitted. This includes, but is not limited to, davits, piers, docks, decking and other devices such as cleats and standoff systems. No construction is permitted to be attached to, rest on or cover the bulkhead.

2. Boats, floating docks or barges shall not be moored to bulkhead caps, pilings, sheeting or waters, or to stakes, trees or any in-ground devices which inflict any stress, load or force on the bulkhead system. Also, no boat as defined herein, shall be launched or retrieved over the bulkhead cap.

3. Anchor systems for floating docks, davits or other devices shall be designed and constructed to provide their own foundations which will not inflict any load or forces on the bulkhead system.

4. Piers, docks and other devices or structures for mooring, securing and boarding boats shall be constructed to be completely free of the bulkhead system to not inflict any load or force even if such structures incur damage by freezing, flood or collision.

5. Floating docks may have ladders, steps or ramps which are affixed to the dock or behind the bulkhead at one end and provided with an approved slide/rolling device on the other end which would prevent damage to the bulkhead system.

E. Materials Required for ARC Review. See Section 200.2.B, except the form is for Docks.

Section 300. Specific Design Requirements and Plan Review

Section 300.1. General. Building location, configuration, architectural design, materials and colors shall be harmonious with the established Ocean Pines environment. Homes which appear to be tract type dwellings in character or design will not be permitted.

Section 300.2. Design Requirements.

A. Similarity. Repetitive style plans or plans with only minor variations, located within three across the street, one on either side and one behind of one another will not be permitted. Styles repeated in one section whether by one builder or numerous builders will be limited in number. Separations of design are necessary in order to maintain values of the property by preventing a tract appearance.

B. Minimum Floor Elevations.

1. The lowest habitable floor level of all residential structures shall have a minimum elevation of seven (7) feet above mean sea level. Any variance to this minimum elevation must be approved by the Worcester County Department of Water and Wastewater Services.

2. The Worcester County Department of Water and Wastewater Services requires the elevation of any floor with plumbing drainage to be no less than 2.0 feet above the top of the holding tank riser for existing tanks or 2.5 feet above ground level at the tank location staked by the utility for future tanks. Property owners are responsible for compliance in maintaining the elevation differential described here in to insure proper drainage to the holding tank.

3. The Worcester County Department of Water and Wastewater Services may grant a variance to the minimum floor elevations with plumbing drainage below the top of the holding tank riser. Such a variance will require a vented

sump and ejector to discharge into the building gravity drainage and shall meet all appropriate State of Maryland plumbing codes.

C. Roofs.

1. Pitch. Roofs on the main building shall have a minimum pitch of 4:12. Permission may be granted for pitches to a minimum of 2:12 for secondary roofs on the main building.

2. Overhang. Overhangs shall be a minimum of 12 inches on the soffit and 12 inches on the gable ends and be aesthetically and architecturally in keeping with the structure.

3. Material. Roofs shall be covered with materials that are harmonious with the surroundings and in architectural keeping with the style of the house.

D. Design Features. Strictly rectangular homes will not be approved by the ARC. In order to obtain the relief required on any strict rectangular house with continuous flat walls, the architect, builder or home manufacturer will be expected to develop innovative ideas to improve the appearance of such homes. When the narrow dimension of the house faces the street due to the limitation of placing the house across the lot, the house wall dimension shall not be less than twenty-four (24) feet, exclusive of wing walls or other architectural treatments. Addition of a roofed over functional space, such as another roof, a screened porch, a carport, etc., would be acceptable in improving the appearance of strictly rectangular homes, provided the addition did not create a similarity problem with an existing home within three across the street, one on either side, and one behind.

E. Variations for Rectangular Homes. Strictly rectangular homes are not permitted. Variations or combinations of variations may be used in the elevations to provide an appearance of integrated exterior wall and/or roof relief. Possible variations that may be used are listed below. The front elevation of the proposed house design must have at least one major and one minor variation.

1. Major Variations:

- a) Two feet or more wall break
- b) Covered front entrance or porch with a minimum size of four feet

by ten feet

- c) One foot or more break in the roof or wall
- d) Combination of a gable roof with a hip roof

2. Minor Variations:

- a) Bay window or wall bay

- b) Wall bay roofed over
- c) An added deck with hand railing
- d) Variation in siding materials and color
- e) Window treatments such as panels or shutters

F. Exterior Building Materials.

1. Material. Exterior building materials should be harmonious to Ocean Pines settings. All exposed wood surfaces shall be preserved with stain or paint or be clad with vinyl or aluminum. The use of exterior finishes will be reviewed by the CPI Department for each individual site.

2. Foundation Parging. All concrete block foundations must have cement parging applied.

3. Windows/Awnings. Window design should be suitable for the climate and for the orientation of the building elevation in which the windows are located. Large windows are recommended linking interior and exterior spaces. Awnings should be used only when shown to be harmonious with architecture and landscape. Awnings added after final inspection will require a separate permit from the ARC.

4. Colors. Soft natural colors and white are permitted for siding. Non natural bright colors may be used for doors or accent panels only and then sparingly. Colors shall be restricted to those which in the opinion of the ARC harmonize with the surrounding area. A color may not be used if it duplicates the color of an existing house within three across the street, one on either side and one behind. Exposed metal flashing or trim should be anodized or painted to be non-reflective, and in harmony with the house colors.

5. Exterior Lighting. Exterior lighting shall be used primarily to make safe entry and exit possible rather than showcasing the building. The lighting system shall be designed to show suitable restraint and concern for the impact of the design on neighboring properties. The objective is to eliminate glare and annoyance to adjacent property owners and passersby.

H. Liquefied Petroleum Gas/Fuel Storage (LPG).

1. Storage Tanks. A maximum of two (2) 420 lbs. cylinders are allowed.

2. Screening. Tanks for the storage of fuel (gas, oil, etc.) must be screened by fencing or shrubbery.

I. Fifteen (15) Foot Bulkhead Maintenance Easement. For all lots where the property lines extend to or beyond the bulkhead, a fifteen (15) foot maintenance easement has been established. This easement extends fifteen (15) feet from the land side of the bulkhead cap.

J. Driveways. Driveways and parking areas shall have a minimum coverage of three (3) inches of gravel or crushed stone. Retainers of pressure-treated lumber or other suitable material shall be required bordering gravel or crushed stone driveways and shall be securely anchored.

K. Alternative Energy Source Design. The construction of any Alternative Energy System must comply with applicable State and County Codes and will require the ARC's approval. When considering a request, emphasis will be placed on the necessary size of the system and its location and manner of placement, preferring locations as close to the rear of the property as possible with wiring and other components concealed as much as possible.

Section 300.3 Procedures. See Section 200 for detailed procedures.

A. CPI Department Review. Plans along with the appropriate application must be submitted to the ARC for approval. Prior to approval of the plans, members of the CPI Department will visit the site and review the plans for compliance with the requirements of these guidelines. In accordance with the Declarations of Restrictions, approval or disapproval will be given within thirty (30) days after receipt of a properly completed application (including plans).

B. Letter of ARC Approval/Disapproval. Copies of pertinent documents will be returned to the owner or builder with either a letter of approval or disapproval.

Section 400. Landscaping

Section 400.1 Objective. The primary objective of the landscaping requirements is to preserve the natural beauty of Ocean Pines. The removal of existing natural native trees and plants and the final landscaping are of prime concern.

Section 400.2 Landscape Plan. In accordance with Section 200.2.B.5 of these Guidelines, a landscaping plan shall be submitted with all house plan applications. The landscaping plan shall be drawn to a scale of 1" = 30' or 1" = 20' and shall include the following:

- A.** The location of the house and outbuildings.
- B.** The location of the driveway, parking areas and walks.
- C.** The general location of existing groups of trees and other vegetation to remain undisturbed.

D. The location and design of the proposed landscaped areas, including the varieties and sizes of plant materials shall be shown. Annuals and perennials that die back each fall shall not be a part of the permanent landscaping plan. Landscaping shall be provided along all street sides and rear, and side foundations facing the golf course or waterfront. All raised decks and porches require landscaping. Shrubbery planted as screening must be of an evergreen variety. Lattice or planking may be substituted for shrubbery. Landscaping is recommended around the balance of the foundation, deck, and porch. Any bare lands shall be mulched, seeded or sodded.

Section 400.3 Requirements.

A. **Plant Removal.** After approval of the house plans for new construction, the contractor shall clearly mark all trees and natural planting planned for removal. The CPI Department shall be notified 48 hours prior to commencement of lot clearing.

1. **Limit of Clearing.** Unrestricted removal of trees, shrubs, and other plant material shall be limited to ten (10) feet from the house or garage foundation and within three feet of the driveway (the limit of clearing). Removal of any trees more than six (6) inches in diameter, measured thirty-six (36) inches from the base of the tree and any native Magnolia, Holly, Bayberry, and Laurel which are located outside the limit of clearing shall require approval from the ARC. These are protected plants. Acceptable reasons for removal of protected plants include diseased plants and those causing danger because of leaning or impairment of vision for driving. All stumps of plants felled must be removed or cut flush with the ground; under no circumstances are any stumps permitted to remain within or under the foundation or in driveways.

2. **Plant Removal in Open Areas.** On lots where trees are all smaller than six (6) inches in diameter outside of the limit of clearing the preservation of some trees shall be required as determined by the CPI Department. Builders/owners shall be required to replace vegetation destroyed that was not approved for destruction by the ARC.

3. **Plant Removal from Existing Homes.** A permit is required from the CPI Department for removal of tree(s) of six (6) inches diameter or greater and any native Magnolia, Holly, Bayberry, or Laurel.

4. **Clearing for Modular Homes.** When houses are to be installed in large sections by use of cranes or trailers, an installation plan shall be submitted in accordance with these Guidelines indicating the area to be cleared. Every effort should be made to site the location of the house in such a way as to maintain tree and/or shrubs along the front property line. If, in the opinion of the CPI Department, the installation plan indicates the removal of an excessive number of healthy trees

which will substantially destroy the natural beauty of the site and/or the adjoining areas, construction will not be approved.

5. Clearing for Waterfront Lots. Removal of trees and other plantings from a waterfront lot within one hundred (100) feet of the water requires Worcester County approval, which will also include their requirements for any replanting. The CPI Department will require notification the County inspection has been completed along with a copy of any County required replanting report prior to making their inspection for the Association.

B. Trimming. Trimming of all trees is permitted provided the trimming does not exceed one third of the foliage or limbs over any five-year period. All company's conducting such work must be licensed as an "Arborist" or "Tree Expert" as defined by the Maryland Department of Natural Resources. Should it be determined that trimming in excess of that described herein causes a tree to die, the ARC will require the tree be replaced by the same species and of a size as described in Section 400.3.C. If, however, the tree dies as a result of disease, then the owner of the property is not obligated to replace it with one of the same species. A permit must be obtained from the ARC prior to commencement of work.

C. Unauthorized Tree Removal. Any tree six (6) inches in diameter/caliper or greater that is removed without CPI Department approval must be replaced by a tree(s) of the same species, or a different species approved by the CPI Department.

1. One (1) 3-inch caliper tree for every tree between 6 inches and 12 inches in diameter.

2. One (1) 4-inch caliper tree for every tree between 13 inches and 24 inches in diameter.

3. One (1) 5-inch caliper tree for every tree greater than 24 inches in diameter.

D. Fill and Grading on Lots. Fill up to twelve (12) inches or to the depth allowed by local jurisdictions, whichever is less, of the average grade of the lot will be allowed without prior approval of the ARC. Runoff should be diverted into ditches or waterways without crossing adjacent lots. A fill and grade plan will be required and must show how water and sediment will be controlled during construction and at final grade. A special permit may be required from the Worcester County Soil Conservation District, dependent upon location and amount of material to control surface drainage to prevent erosion of bare lands.

E. Plantings.

1. Any planting with a root system that could damage the bulkhead is prohibited in the fifteen (15) foot bulkhead maintenance easement. No tree, bush, shrub, etc. of any variety with a mature height greater than four (4) feet may be planted within the maintenance easement.

2. Plantings shall be shrubbery of the evergreen variety and a minimum of 18 inches high. Shrubby shall be spaced no more than three (3) feet apart to provide continuity.

3. Landscaping may include plantings, planters, stones, mulch and chips, berms, seeding, shallow ponds, and walk edging.

4. Landscaping shall be maintained in a pleasing manner and replaced when needed. If not maintained, the Association reserves the right to perform such maintenance.

Section 500. Requirements After Plan Approval

Section 500.1 Requirements During Construction. After approval by the ARC and the subsequent issuance of a building permit by Worcester County, the following requirements shall be met during construction:

A. Posting Building Permits. The Construction Approval Permit, issued by the ARC, shall always be posted in a conspicuous place on the building site. In addition, the County Building Permit shall be posted next to the CPI Department permit, if a County Building Permit is required.

B. Culvert Pipe. A maximum 24-foot-long, asphalt coated corrugated metal pipe (or equivalent County approved material) culvert shall be installed prior to any lot clearing and start of construction. The diameter of pipe will be determined on a case by case basis to assure proper ditch drainage. However, in no case will the culvert pipe have less than a fifteen (15) inch diameter. Exceptions to this are Ocean Pines Sections 14A, 14B, 14C and 14D which have swale drainage across driveways. The invert or bottom shall be located four (4) inches beneath existing ditch bottom such that drainage in the ditch remains unimpaired. The pipe shall be installed a minimum of five (5) feet from the side property line so as not to interfere with the installation of utilities. Pipe must be covered with twelve (12) inches of Maryland State (Worcester County) specification "A 2-4" or better material (minimum 20% clay). The OPA Public Works Department inspector shall be notified 48 hours prior to installation to insure setting of pipe at the proper grade level. Only one (1) driveway culvert pipe will be permitted for any lot unless 120 feet of road frontage exists, in which case two pipes are allowed. Special circumstances will be reviewed by the ARC for any additional driveways.

C. As Built Certified Foundation Survey. After completion of the foundation, the CPI Department shall be furnished with an as-built certified survey of the foundation. No further work on the house is to continue until the as-built survey has been accepted by the ARC to be in accordance with approved plans. The ARC shall complete this review within two working days after the survey has been received. The ARC may also require an as built construction survey for those structures located at or near a BRL. In addition, for houses planned to be between 34 feet and 35 feet in height, a final elevation survey is required.

D. Trash Containers and Portable Toilets. The owner or builder shall be required to furnish a commercial trash container and a portable toilet on site but not in the street right of way. Building sites must be maintained in a neat and orderly fashion.

E. Change in Plans During Construction. All changes to the exterior of a structure, parking layout, trees to be removed and any other change affecting the appearance of the project upon its site and to its neighbors shall receive prior approval of the ARC. Changes proposed during construction shall be submitted in writing and plan form to the ARC for approval.

F. Construction Work Hours. All construction is limited to the hours between 7:30 am. and 8:30 pm. on weekdays and from 8:00 am. to 5:00 pm. on weekends and holidays.

Section 500.2 Requirements Before Deposit Money Can Be Refunded. In addition to items outlined above, the following shall be required before any money paid as completion deposits will be refunded.

A. House Number. The street address house number shall be posted to be visible from the street. It may be displayed on the front of the house or on a sign in the front yard (note: the house number is not the same as the lot and section number and can be obtained from the CPI Department office). House numbers shall not be less than four (4) inches or no greater than eight (8) inches in height, a contrasting color, and visible from the street.

B. Service Area. Trash and rubbish containers are required and shall be concealed. An enclosed service area, large enough to store two (2) 20-gallon containers for ashes, trash, rubbish or garbage, shall be required. An enclosed garage, shed or utility structure, satisfies this requirement if utilized for this purpose and so noted on the application.

C. Fuel Storage Tanks. Tanks for the storage of fuel buried below the surface of the ground shall be noncorrosive. Tanks installed above ground shall be screened by fencing or shrubbery.

D. Deck Screening. All raised decks and porches must be screened if the deck/porch is eighteen (18) inches or more above ground level. Evergreen plantings placed three (3) feet apart to provide continuity, may be employed provided they screen at least half of the open area (see Section 400.2).

E. Property Damage. During inspections, the CPI Department will monitor any damage to ditches, culverts, median and utility work, or roadway resulting from construction, including any utility work. The cost of repairing any damage will be borne by the lot owner and/or contractor. Before any construction deposit money is returned, these areas will be inspected for any damages or change in elevation occurring during construction.

Section 500.3 CPI Department Inspections. All construction is subject to continuing adherence to the ARC Guidelines and the Section's Restrictions and will be verified by inspections. CPI inspections are in addition to Worcester County inspections. The inspection by Worcester County will not satisfy the requirement of, or be in lieu of, an inspection by the CPI Department.

A. Inspection Schedule. The following inspection schedule will be followed.

1. Contractor/Owner contacts CPI Department office for site inspection. Inspector checks that the permit is posted and checks the lot for proper limit of clearing.
2. Contractor/Owner contacts CPI Department when lot is cleared. Inspector checks that the limit of clearing has not been exceeded and stabilized construction entrances and erosion controls are in place.
3. Contractor/Owner contacts CPI Department when foundation is in place and submits "Foundation Location Survey". Inspector checks BRL setbacks, conformance with approved plan, that a commercial trash container is on site for construction debris, that a portable toilet is on site and sited properly and that the foundation is parged.
4. Contractor/Owner contacts CPI Department after framing for color inspection before installing siding. Inspector will check siding for approval with permit and for any changes from approved plans.
5. Contractor/Owner contacts CPI Department for final inspection. Inspector checks: for conformance with approved plans, that driveway retainers are installed, for house number, deck screening, landscaping and ground cover, for ditch damage, for roadside damage, for damage to the median, for road damage and that a service area for two (2) 20 gallon trash containers is installed unless enclosed garage,

shed or storage structure will be used for trash containers. Inspector also checks that the culvert pipe elevation has not changed due to construction activity.

B. "Stop Work" Orders. Any physical changes, additions, deviations, unsightly construction site, or noncompliance in any way or at any time from the Section's Restrictions or ARC Guidelines during construction constitutes a violation and will result in stoppage of all work through the immediate issuance of a "Stop Work" order. The "Stop Work" order will be rescinded when the violation has been corrected.

C. Construction Start and Completion. If construction has not started within six months from the approval date, the approval is rescinded, and the complete package must be resubmitted to the CPI Department. Canceled or rescinded plans are retained by the CPI Department for one (1) year, after which they will be cleared from the files. Once construction is started on any lot the improvements, including landscaping, must be substantially completed as to exterior appearance within twelve months from the approval date. Request for a six-month renewal permit may be submitted to the ARC for approval.

Section 500.4 Utilities.

A. Easements. Utility easements five (5) feet in width along each side property line and ten (10) feet in width along the front and rear property lines exist on each lot in Ocean Pines. Although not shown on the plats, these easements have been dedicated to the utility companies. Property owners should be aware of these easements and should understand that any construction within the easements require approval by the ARC. (Plantings and landscaping do not require approval). However, landscaping or structures located therein may be subject to damage during the installation of utilities, with the cost of replacement or repair borne by the owner. Property owners may contact the CPI Department to determine if any other easements exist on their lot.

B. Storm Drainage. Storm drainage shall not be connected to the sanitary sewer, nor should it be piped directly into a canal, river or bay through the bulkhead wall or over the bulkhead cap.

Section 600. Sign Regulations

Section 600.1

A. General. All signs, billboards or advertising structures of any kind are prohibited except upon application to and written permission from the ARC.

B. Intent. The ARC will permit temporary signs only if it deems them essential and in the general interest of the community, do not adversely affect property values and strictly adhere to the criteria below.

Section 600.2 General Criteria. The criteria in this section apply unless otherwise stated in applicable subsections of Section 600.3.

A. **Size.** Signs shall be a maximum of four (4) square feet provided no side shall be greater than 38 inches.

B. **Height.** Signs shall be installed so as not to exceed five (5') feet from ground level to top of sign.

C. **Location.** No sign shall be nailed, or in any way fastened, to trees. All signs shall be located between the front property line and the structure and may be parallel or perpendicular to the street. No signs will be permitted to be placed in the right of way, in easement areas or on any structure owned or operated by the Association.

D. **Materials.** Wood is recommended. However, dependent upon purpose and time span involved, other materials may be considered. In any case, the material must be substantial enough, as determined by the CPI Department, to not fall quickly into a state of disrepair.

E. **Colors.** Preferably, all signs are to have a natural wood or brown background with complimentary color letters.

F. **Wording.** Wording shall be clear and concise and be limited to pertinent information.

G. **Number.** In addition to an address plate, only one (1) sign of any type shall be permitted on any numbered lot.

H. **Placement.** Signs must be placed no sooner than the approved date and removed within three days of the removal date. All placements and removals are the responsibility of the person signing the application.

I. **Approval.** Political signs supporting the election of a State or National candidate, or for the vote of a referendum, do not require ARC approval in writing before posting. Political signs may not exceed the size of any other sign. All other signs must first be approved by submitting a CPI Department Application for approval. More than one sign may be addressed in one application.

Section 600.3 Specific Sign Criteria.

A. **Name and/or Address Plate.** A name and/or address plate will be permitted for the purpose of identification of the owner or occupant of a dwelling or building. The sign shall be limited in area to two (2) square feet and may be affixed to a permanent post (i.e., lamp post) or stand on its own, or may be attached to the structure, with no height limitation. These signs shall not require written approval

from the ARC if they conform to the criteria of Section 600.2, as modified by this paragraph.

B. Construction Sign. One temporary sign will be permitted for the purpose of identifying the principal contractor or vendor performing improvement or new construction work. Wording is limited to contractor's name, telephone number, logo and MHIC number. Franchises, slogan, addresses, etc. will not be permitted. The sign shall be located behind the front property line. The sign shall not be posted prior to the issuance of the CPI Department construction permit and shall be removed within one (1) week following exterior completion of work (including landscaping), and/or prior to occupancy. In any event the sign shall not be posted for a period longer than one (1) year. The sign shall conform to the criteria as stated in Section 600.2 as modified in this paragraph.

C. Real Estate Agency Signs. No real estate agency sign or logo of any type shall be permitted on any numbered lot, in any median strip or elsewhere in Ocean Pines other than Open House signs as described in Section 600.3.F below.

D. Real Estate For Sale or Lease Signs. A temporary sign limited to one per lot, for the purpose of advertising real estate for sale or lease by owner may be placed on any lot. Wording of such signs is limited to "For Sale by Owner" or "For Rent by Owner" and the "owners" telephone number. These signs shall not require written approval from the ARC if they conform to Section 600.2 as modified by this paragraph.

E. Real Estate Stakes. In lieu of real estate agency signs, property corner stakes identifying the agency may be used for the purpose of locating a lot. These stakes shall not be greater than 2" x 2" or 1" x 3". The top shall not be higher than 3' above ground and shall be painted with not more than three colors to identify a realtor. An "Application for Real Estate Stake Approval" shall be submitted to the CPI Department for the purpose of recording color combination to avoid duplication. Applications must be renewed annually. Where such stakes are used, no other identification, such as allowed in Section 600.3.D will be permitted.

F. Open House Signs. Builders, owners, and real estate agencies may apply for annual approval of such signs, using the "Open House Sign Application" available at the CPI Department Office. All open house signs must adhere to the general criteria of Section 600.2 as modified by this subsection. The following restrictions apply:

1. All signs shall be self-standing.
2. Signs shall be restricted to the wording "Open House", directional arrows, and the permit number. No advertising matter or logos may appear on the signs. Balloons will not be attached to the signs.

3. One sign may be placed on the median strip of Ocean Parkway at the nearest intersecting road. Other signs may be placed at intersecting roads for the purpose of indicating a change in direction only.

4. Display of signs shall be limited to daylight hours.

G. Real Estate Flags. Real Estate flags are not allowed.

H. Brochure Boxes. Realtor, Construction Company and/or owner's sales brochures can be placed on properties in brochure boxes. Two designs for the box are approved. One design is similar in size to a straight mailbox and painted to match sign criteria colors (e.g. brown with orange or yellow lettering) or clear. The second design approved for the box is like the type of boxes that are used to hold various newspapers and shall also match the sign criteria colors or be clear. If at any time a brochure box becomes unsightly or a public nuisance, the CPI Department shall have the right to remove the box.

I. Yard, Garage, Rummage, Etc. Sale Signs. Signs for yard or garage sales shall be limited for use only on Saturdays and Sundays during the hours of 6:00a.m. to 4:00 p.m. Signs shall conform to the requirements of Section 600.2, as modified by this paragraph, and may not be attached to trees, road signs or any permanent structure. Signs are prohibited on the Route 589 side of the North Gate Bridge. At the South Gate, signs are limited to placement at the intersection of Manklin Creek Road and Ocean Parkway. No signs are permitted on Cathell Road. It is the responsibility of the person or persons that place any signs for yard sales to remove all signs by 5:00 pm. on the last permitted sale date. Yard sales are limited to a total of four (4) per year per developed lot.

J. Political Candidate and Referendum Signs.

1. Property Owner Approval. Signs may not be displayed on any developed lot or vacant lot without approval of the property owner.

2. Common Property. The Association shall not participate in or intervene in (including the publishing or distribution of statements) any political campaign on behalf of any candidate for public office. No political signs, displays or literature may be placed on or in any property, right-of-way, building, bulletin board, structure, road sign or tree owned by, or under control of the Association.

3. Time Intervals. Signs for political candidates or referendum issues must be removed within seven (7) days after an election.

4. Specifications. Signs must be in conformance with Section 600.2 but may be in any color or material.

5. Number. Only one sign per candidate may be displayed at any one time in the front of the property. Signs with two (2) or more candidates' names may be used provided they conform to the size criteria. In the case of waterfront lots, golf course lots, and those backing on Rt. 589, Rt. 90, or Beauchamp Road, signs may be placed in the front and rear of the property.

6. Handout Materials for County, State, or National Elections. To ensure the safety and protection of pedestrians and drivers, to prevent traffic problems from developing and to control litter and trash possibilities, handout materials may be distributed only on election days at the designated polling locations within the parameters established by state or county laws and regulations.

K. Advertising and Direction Signs for Temporary Functions of Community Organizations and Churches. Any color combination may be used when the sign is four (4) square feet in area, or under. Any sign over four (4) square feet must be approved by the ARC on an individual basis. Signs may be placed on common property and on lots only with the permission of the lot owner. Signs advertising an event may be placed no sooner than three (3) weeks prior to the start of the event. Direction signs may be placed no sooner twenty-four (24) hours prior to the start of the event. All signs must be removed within twenty-four (24) hours after the end of the event. Approval of the ARC is required. Permits may be granted for three (3) consecutive years for an annually recurring event.

Section 600.4 Unauthorized Signs and Flags.

A. Removal of Unauthorized Signs and Flags. Any sign or flag not adhering to the requirements of this section may be removed by an authorized agent of the Association.

B. Disposition of Unauthorized Signs. The CPI Department will attempt to contact the owner of the sign or flag. Owners may recover signs and flags from the CPI Department. Signs not recovered within 15 days will be destroyed.

Section 700. Home-Based Businesses

Section 700.1

A. General. No numbered lot shall be used except for residential purposes. No structures shall be erected, placed or permitted to remain on any lot other than one (1) detached, single family residence dwelling and such outbuildings constructed in connection with such residence as are usually accessory to a single family residential dwelling, including a private garage. The ARC will consider reasonable variances and adjustments of these Restrictions in order to overcome practical difficulties and prevent unnecessary hardships in the application of the provisions contained herein, provided, however, that such is done in conformity with the intent and purposes

hereof and provided also that in every instance such variance or adjustment will not be materially detrimental or injurious to other property or improvements in the neighborhood, the Section or the Subdivision. The approval to operate a Home-Based Business will only be granted to the legal owner of the property for a business they own or to a tenant with the approval of the owner of the property.

B. Variance for Home-Based Businesses. Under certain circumstances, the granting of reasonable variances for the conduct of Home-Based Businesses which will not be materially detrimental or injurious to other property or improvements in Ocean Pines may be appropriate. Accordingly, the ARC has adopted guidelines set forth in Section 700.2 for the purpose of advising property owners in the Subdivision of the minimum conditions that must be met in order for the ARC to consider and act upon any request for a variance for a Home-Based Business. Applications meeting the conditions will be approved only where the ARC finds that such approval conforms to the requirements for variances as defined in the Section's Restrictions.

C. County. The Worcester County Board of Appeals requires the application be made to the county for a Home-Based Business. This is in addition to the application required by Ocean Pines.

Section 700.2 Conditions for Home-Based Businesses. The following conditions must be met to obtain the approval for a Home-Based Business:

A. All Home-Based Businesses must be conducted solely within the structure, except in the case of childcare.

B. Signs of any type referring to the Home-Based Business, including window signs, will not be permitted.

C. Conduct of the Home-Based Business must be incidental to the primary residential use of the property. Not more than twenty-five percent (25%) of the gross floor area of the structure, less garages, porches, and decks, may be utilized in whole or in part for the conduct of the Home-Based Business. The remaining livable gross floor area shall be in accordance with applicable Declarations of Restrictions.

D. Nothing other than parts or supplies used in the business shall be stocked on the premises and nothing sold except what is produced on the premises or as permitted by special exception by the ARC.

E. No person may be engaged or employed on the home business premises other than a member of the immediate family residing on the premises.

F. A Home-Based Business may not include a boarding house, rooming house, Bed and Breakfast or private educational institution.

G. The Home-Based Business shall not generate substantial amounts of vehicular or pedestrian traffic. No more than two (2) vehicles used for the home business will be permitted and shall not be parked in the road right of way. Vehicles used in conjunction with a home business must meet the weight limitation of Section 800.

Section 700.3 Application to ARC to Operate a Home-Based Business.

A. Initial Application. Persons applying for a Home-Based Business shall complete the "Application for Variance for Home-Based Business" form available at the CPI Department office. Applications must address each of the conditions listed in section 700.2 in narrative form. A fee will be charged. ARC approval is valid for one (1) year.

B. Renewal. Each year the application must be resubmitted to the ARC and will be re-evaluated for continued approval. A fee will be charged.

Section 800. Oversize Vehicle, Recreational Vehicle and Trailer Regulations

Section 800.1

A. General

1. Trailers. No temporary house, trailer, tent, garage or other outbuilding shall be placed or erected on any lot, provided, however, that the ARC may grant permission for any such temporary structure for storage of materials during construction. No such temporary structure as may be approved shall be used at any time as a dwelling place, nor shall any overnight camping be permitted on any lot.

2. Oversize Vehicles, Recreational Vehicles (RV's). No oversize vehicle, defined as having a GVWR greater than Class 3, including but not limited to commercial trucks, trailer trucks, and buses shall be parked or stored overnight or longer on any lot or street in the Section or Subdivision unless prior written approval from the ARC has been obtained. Any Recreational Vehicle is prohibited from being parked anywhere in Ocean Pines without written approval for the ARC being first obtained.

B. Objective. Pursuant to this authority and other requirements of the Section's Restrictions, the ARC, by these Guidelines, establishes minimum standards for the storage of oversize vehicles, RV's, slide in campers and trailers on lots in Ocean Pines to provide minimum visible impact on the community and maintain property values. Additionally, any vehicle, RV, trailer, slide in camper, or tent may not be used as a dwelling place or for overnight camping on any lot in Ocean Pines. The ARC has determined that since its inception by Boise and follow-on ownership/management, the Ocean Pines community was established as a residential and recreational community to include swimming, tennis, golf and boating.

Declarations of Restrictions place few, if any, restrictions on these activities. Thus, the ARC exempts boats/PWCs and boat/PWC trailers from this restriction. All other trailers that are smaller than sixteen (16) feet in length and less than four (4) feet in height, and not an RV, as defined herein, are also exempt from the specifications of Sections 800.2 and 800.3 below.

Section 800.2 Specific Guidelines.

A. Location. Storage shall be wholly within the property lines of the owner's lot and where possible, should be located behind the front building restriction line or behind the front line of the house structure and screened from public view. Storage shall be prohibited on any portion of the street or right-of-way.

B. Number. The ARC has established the following limitation on motorized watercraft stored on a lot; one boat with trailer and two PWC on trailers. These may be stored on the lot, on their trailers when not in the water. If the watercraft is kept in the water, its empty trailer may be stored on the lot. All other unscreened trailers are prohibited, except during a construction project or when approved by the ARC.

C. Screening. Screening shall be evergreen landscaping of such height and type of growth to effectively conceal the vehicle. With proper approval, fencing may be used to screen the vehicle when landscaping is not practical. The CPI Department shall have the right to require the removal of the vehicle if these conditions cannot be met.

D. Use During Storage. No vehicle or trailer shall be used as a dwelling place, nor shall any overnight camping be permitted on any lot in any vehicle.

E. P.O.D.S. - Portable On Demand Storage Containers. Portable on Demand Storage Containers (PODS), or similar types of storage containers, for the purpose of loading and unloading, are limited to one (1) unit per improved lot. The container requires a permit from the CPI Department and can remain no longer than thirty (30) days. The container must be in the residence's driveway or paved parking area.

Section 800.3 Permit Procedures.

A. Short term parking or storing an oversized vehicle overnight or longer requires a permit issued by the ARC. A temporary parking permit form may be obtained from the CPI Department office. There are two (2) types of temporary parking.

1. Two-week periods. No more than four (4) two-week temporary permits will be issued per year and there must be separation of at least two (2) weeks between periods.

2. 48-hour periods. No more than twelve (12) times per year for the purpose of loading and unloading the RV between trips. This is an annual permit.

B. Long term parking or storing of an oversized vehicle requires a permit issued by the ARC if the conditions of Section 800 of the ARC Guidelines are met. The CPI Department requires the following information to be submitted with each application for long term storage.

1. Site plan showing the proposed location of the vehicle, and proposed screening, either fencing, evergreen plantings, or a combination thereof.

2. Application for long term parking permit filled out and signed by the lot owner.

3. Payment of Filing and inspection fees, plus completion agreement.

Section 900. Soil Erosion and Sediment Control

Section 900.1 Purpose.

A. Intent. To establish minimum requirements and procedures to control the adverse effects caused by accelerated soil erosion and sedimentation during the period of construction. This section is in addition to any applicable State or County regulations or requirements.

B. Applicability. No owner/developer shall disturb any lot in Ocean Pines without implementing soil erosion and sediment controls in accordance with the requirement of Section 900.2. The ARC may grant a written variance from the requirements of Section 900.2 if strict adherence to the specifications will result in unnecessary hardship and not fulfill the intent of this section.

Section 900.2 Requirements.

A. Plan. An erosion and sediment control plan shall be shown on the site plan as part of a new construction submittal if disturbance on the lot exceeds 5,000 sq. ft. or more than 100 cubic yards of fill are to be place on the lot.

B. Required Practices for New Construction. The following is required for any new construction, plus any addition where the existing driveway will not be used.

1. A stabilized construction entrance shall be established to reduce erosion into the drainage system. It shall be required on all numbered lots undergoing clearing and grading for new construction. Once established, all deliveries and construction vehicles are to use this entrance. The following materials are required.

a) Ten (10) tons of stone, 2 ½ inches, or larger, covering a minimum of twenty (20) feet wide by twenty-five (25) feet deep, starting at the edge of the

paved roadway, shall be installed after clearing the site of the proposed driveway and the placing of the culvert pipe and culvert pipe fill.

b) Straw bales shall be installed as head walls after the culvert is in place. They should be installed no less than four (4) inches below grade and be securely anchored. If deterioration or damage occurs to the bales during construction, the bales must be replaced immediately.

C. Perimeter Erosion Controls. Perimeter erosion controls are required to prevent sediment from washing into drainage ditches and waterways. Perimeter controls shall be installed parallel to all waterways and major outfall ditches that abut lots where clearing and grading have been performed. Front drainage ditch protection shall be installed if the lot needs substantial fill between the building location and the front ditch. The following materials are required.

1. A filter fence shall be securely anchored and installed no less than six (6) inches below the existing grade and no less than eighteen (18) inches tall. Straw bales may be substituted for a filter fence and installed no less than four (4) inches below grade and securely anchored.

2. A filter fence and/or straw bales shall be installed within seven calendar days after breaking ground for construction. These erosion controls shall not be removed until disturbed areas have been stabilized or landscaped.

3. Perimeter controls shall be maintained so as not to fall into a state of disrepair or cease to function properly.

Section 1000. Satellite Dishes

Section 1000.1 Purpose.

A. Intent. To establish minimum requirements and procedures to control any adverse visual impact from the placement of satellite dishes.

B. Authority. Declarations of Restrictions prohibit such structures. Since the Restrictions were written, FCC regulations allow an individual to place a dish up to 1 meter in diameter on their property.

Section 1000.2 Guidelines.

A. No trees may be removed to provide line of sight. Proposals to trim trees must be approved by the CPI Department.

B. Satellite dishes may not exceed one (1) meter in size.

C. The preferred locations for dish placement are at the rear of the house or behind the front foundation line of the house. If line of site can be achieved only from the front yard, then landscaping to screen the dish from the street is required.

Section 1100. Supplemental Guidelines

Section 1100.1 Vehicle Storage.

A. **Intent.** To minimize the negative visual impact and loss of property value caused by long term storage of unregistered and/or non-operative vehicles on Ocean Pines lots.

B. **General.** No stripped down, partially wrecked or junk motor vehicle, or sizable part thereof, shall be permitted to be parked on any street in the Section or Subdivision or on any lot. No vehicle shall be parked on any street in the Subdivision.

C. **Guidelines.**

1. All vehicles must be parked on the residence's driveway or paved parking area.

2. In the process of evaluating whether a motor vehicle is to be included in the "junk" category, conditions such as, but not limited to, flat tires, missing headlights, broken windows, the absence of current state registration and other on-site conditions, are to be considered.

Section 1100.2 Ocean Pines Easements.

A. **Intent.** Allows Ocean Pines Public Works Department personnel to maintain the front easement area on the lots in the subdivision.

B. **General.** Declarant reserves for itself, its successors and assigns, for purposes incident to its development of the real property subject to these Restrictions, the following easements and /or rights-of-way.

1. For the use and maintenance of drainage courses of all kinds designated on the plat as "Drainage Easements". These easements are ten (10) feet in width unless otherwise specified on the recorded plats and are centered about the existing drainage channels.

C. **Guidelines.** Owners are prohibited from placing or erecting structures, light reflecting devices, signs or other obstacles higher than ten (10) inches in the Ocean Pines easement area. In general, this easement area extends from the residence side of a drainage ditch to the roadway edge.

EXHIBIT 1

ALLOWABLE COVERAGE / BUILDABLE AREA CHART		
BUILDABLE AREA	ALLOWABLE COVERAGE %	ALLOWABLE COVERAGE SQ.FT.
2,000	100.0%	2,000
2,100	100.0%	2,100
2,200	100.0%	2,200
2,300	97.5%	2,243
2,400	95.0%	2,280
2,500	92.5%	2,313
2,600	90.0%	2,340
2,700	87.5%	2,363
2,800	85.0%	2,380
2,900	82.5%	2,393
3,000	80.0%	2,400
3,100	78.0%	2,418
3,200	76.1%	2,435
3,300	74.3%	2,452
3,400	72.6%	2,468
3,500	71.1%	2,489
3,600	69.6%	2,506
3,700	68.2%	2,523
3,800	66.8%	2,538
3,900	65.6%	2,558
4,000	64.4%	2,576
4,100	63.2%	2,591
4,200	62.1%	2,608
4,300	61.1%	2,627
4,400	60.1%	2,644
4,500	59.2%	2,664
4,600	58.3%	2,682
4,700	57.4%	2,698
4,800	56.6%	2,717
4,900	55.8%	2,734
5,000	55.0%	2,750

WHITETAIL SANCTUARY (SECTION 15B) ALLOWED TO GO 30% OVER ALLOWABLE COVERAGE

GLOSSARY

Architectural Fence - a structure, usually made of wood or vinyl, used to enhance the appearance of and be architecturally compatible with the house.

As-Built Certified Survey - A property survey done by a State licensed surveyor showing the exact location of any improvements/encroachments.

Boat - A vessel propelled by oars, sails or power, but excluding canoes, kayaks, or other similar light watercraft.

Boathouse - A boat covering structure, whether called a boathouse, a boat tent or other terminology to describe similar roofed housing.

Boatlift - A device used to raise, lower and usually store a vessel over the water. (Also see davit, personal watercraft lift.) Boatlifts shall be inclusive of all post and floating lift systems, but exclusive of davits where the davit base is not within the water.

Building Area - Calculated as the gross lot area, less setbacks.

Building Restriction Line (BRL) - The line established by law, beyond which a building shall not extend, except as specifically provided by law.

Carport - An open-sided structure under which a car or other vehicle is stored or parked.

Change During Construction - Any change directly connected to the structure being improved. Does not include separate additions such as outbuildings not originally submitted for approval.

Coverage - The amount of land within the building area that is covered with a roofed structure. Detached structures are not included.

Davit - A type of crane used to raise or lower a boat, watercraft or cargo, but not used to store a vessel. Also, may be used in pairs as a boat lift in lieu of the more traditional design. (See Boat Lift)

Detached Structure - Any structure not attached to the primary structure.

Dock - Dock and/or pier, (hereinafter referred to as dock) will constitute the same meaning, i.e.: A structure for the means of mooring a vessel. This includes fixed or floating structures or a combination thereof.

Dock Box - A lockable storage container attached to a pier (dock) used to store marine related items - gas cans, ropes (lines), tools, flotation devices, etc. It can be made of various materials that shall be impervious to, or will not deteriorate in, a marine environment. The size of a dock box will be no wider than six feet, no deeper than 30 inches, and no taller than 30 inches.

Dock Walkway - Structure connecting the shore to a dock.

Dog Run - A pre-manufactured wire enclosure located behind the front foundation line of the house used to safeguard pets.

Easement - A right or privilege to a property held by someone other than the owner, usually a right to run/install utilities.

Elevation Drawing - A drawing that includes separate views of each exterior side of a building.

Excavation - The moving or digging of earth in preparation for construction.

Exception - Authorization from the ARC to deviate from a limitation imposed by these Guidelines.

Fill - Sand, gravel or loose earth used to bring a subgrade up to a desired level. Depth may not exceed 12 inches without ARC approval.

Filter Fence - Woven fabric fence with steel or hardwood posts placed on a site during construction to control erosion and sediment.

Fire Pit - A self-contained structure, either fixed or portable, usually constructed of masonry or metal, in which a fire is contained.

Floor Plan - An architectural drawing, to scale, showing walls, doors, window openings, stairs and rooms as one would view the building from overhead without a roof.

Foundation Location Survey - A property survey done by a State licensed surveyor showing the exact location of the building foundation.

Garage - An enclosed structure for housing one or more vehicles.

Installation Plan - A site plan for modular homes indicating the area to be cleared for the location of the crane and the location of any improvements.

Landscape Plan - A plat of the lot showing building outlines and approximate planting locations, including lines of clearing and areas to be left in a natural state.

Lattice - Framework structure of crossed or interlaced wood/plastic strips.

Livable Area - Gross floor area of a structure minus garages, porches, and decks.

Lot Line - The line forming a legal boundary of a property.

Occupancy - The use of the building in accordance with the approved plans and specifications.

Outbuilding - A building, such as a shed or garage, that is located on the same lot as the main building, the use of which is incidental to that of the main building.

Overhang - The extension of a roof or upper story beyond the wall of the structure below.

Oversize Vehicle - A motorized vehicle with a GVWR of Greater than Class 3.

Parge - A cement coating applied to a wall for refinement and moisture proofing of the surface.

Permit - Written approval from the ARC.

Personal Watercraft (PWC) - A power driven ship that has a fully enclosed hull; and does not take on water if capsized; and is designed to be operated by a person standing, sitting astride, or kneeling on it, but not seated within it.

Personal Watercraft Lift - A device used to raise, lower and store one or two personal watercrafts. (Also see Boat lift.)

Pier - (See Dock)

Pitch - The slope of a roof in the form of a ratio: the vertical rise over the horizontal run.

Plat - A graphic description of a surveyed piece of land indicating the boundaries, location and dimensions. It is recorded in the official county office and contains information as to easements, restrictions, and lot numbers.

Play or Pet Enclosure - An enclosed structure located behind the front foundation line of the house, usually made of wood or vinyl, used to safeguard children or pets.

Privacy Fence - A contiguous structure usually made of wood or vinyl, which adds privacy to the house.

RV/Motorhome - A vehicular unit designated as a Class A, B or C Motorhome, built on a self-propelled motor vehicle chassis, having self-contained or semi-contained living quarters. Also considered to be an RV are truck campers, pop-up campers and travel trailers.

Riparian Right - The right to use a bank of a body of water by one who owns that land.

Setback- Distance from the property line to the point where the building area begins. (See Building Restriction Line)

Shed - A free standing structure serving for storage or shelter.

Siding - The outside finished covering on a framed wall.

Sign - Signs include all temporary signs, billboards, advertising flags, address plates, real estate stakes, brochure boxes or displayed advertising of any kind.

Site Plan - A drawing showing to scale the size and location of all new construction and all existing structures on a site, distances from lot lines, and drawn in accordance with an accurate boundary line survey.

Storage Structure - A free-standing structure (also called cabinet, storage unit, etc.) having less than 20 sq. ft. in floor area and 78" or less in height used for storage or shelter.

Structure - An assembly of parts manufactured of various materials.

Substantially Completed - Construction work on the exterior of the house is completed in accordance with the approved plans.

Temporary Fence - A structure, usually made of wood, wire, vinyl or a combination of these materials, used to temporarily enclose a garden or newly seeded area.

Trailer - A wheeled towed vehicle that may be enclosed, having a flat bed and frame designed for holding a load or designed as a **Recreational Vehicle**.

Variance - Authorization from the ARC to deviate from a limitation imposed by the Declarations of Restrictions.

Vehicle - A wheeled conveyance that transports people or objects.

Vertical Survey -A property survey done by a State licensed surveyor showing the exact height of the building.

Violation - An infringement of the Restrictions or Guidelines.

Walkway and/or Platform - A structure to get from shore (natural or bulkheaded) to a floating dock. Such a walkway shall be limited to a maximum width of 3' and of such length as restricted by current county codes.

Zoning- The reservation of certain specified areas within a community or city for building and structures, or use of land, for certain purposes with other limitations such as height, lot coverage, and other stipulated requirements.

INDEX	PAGE
ADDITIONS/ALTERATIONS	11
ALTERNATIVE ENERGY SOURCE DESIGN	24
ALLOWABLE COVERAGE/BUILDABLE AREA TABLE	41
APPROVAL/DISAPPROVAL LETTER	11,24
ARC FUNCTION	7
ARCHITECTURAL FENCING	18
AS BUILT CERTIFIED FOUNDATION SURVEY	28
BROCHURE BOXES	33
BULKHEAD RESTRICTIONS	20
CHANGE IN PLANS DURING CONSTRUCTION	28
COLORS	6,7,9,10-14,18,21,23,28,29
COMMUNITY ORGANIZATION SIGNS	34
CONSTRUCTION SIGN	32
CONSTRUCTION START AND COMPLETION	30
CONSTRUCTION WORK HOURS	28
CULVERT PIPE	27
DECK SCREENING	29
DEPOSIT REFUND	28
DESIGN CRITERIA	7
DESIGN REQUIREMENTS	11,21
DETACHED GARAGES, CARPORTS	13
DOCKS AND LIFTS	19
DOG RUNS	17
DRIVEWAYS	24
EASEMENTS	30,40
EXCEPTIONS TO THE GUIDELINES	6
EXTERIOR BUILDING MATERIALS	23
EXTERIOR LIGHTING	23
FEES AND DEPOSITS	5
FIFTEEN FOOT BULKHEAD MAINTENANCE EASEMENT	24
FILL AND GRADING ON LOTS	26
FIRE PITS	14-16
FORMS	5
FUEL STORAGE TANKS	23,28
HANDICAPPED RAMP	8,9
HEIGHT CRITERIA	9
HOME-BASED BUSINESSES	34-36
HOUSE NUMBER	28
INFORMATION REQUIRED (PLANS)	9-11
INSPECTION SCHEDULE	29

INDEX	PAGE
LANDSCAPE PLAN	10,24
MINIMUM FLOOR ELEVATIONS	21
MODULAR HOMES	10,25
NAME OR ADDRESS PLATE	31
OPEN HOUSE SIGNS	32
OVERSIZE VEHICLES	36-38
PERMITS	3,5,7,11,12,13,14,16,17,18,19,20,23,25,26, 27,29,30,32,34,37,38
PLACEMENT AND DESIGN OF OUT BUILDINGS AND OTHER STRUCTURES	12-16
PLAN REVIEW	9
PLANT REMOVAL	25
PLANTINGS, UNAUTHORIZED TREE REMOVAL	16,17,18,26,27,29,30,38
PLAY AND PET ENCLOSURES	12,16
P.O.D.S	37
POLITICAL SIGNS	31,33
POSTING BUILDING PERMITS	27
PRELIMINARY PLAN REVIEW	9
PRIVACY FENCING	17
PROPERTY DAMAGE	29
PUBLIC HEALTH, SAFETY, WELFARE	5
REAL ESTATE AGENCY STAKES, SIGNS OR FLAGS	32
RECREATIONAL VEHICLES	36
RECTANGULAR HOMES	7,22
REMOVAL & DISPOSITION OF UNAUTHORIZED SIGNS	34
RESTRICTIONS	3,5,6
ROOFS, ROOF PITCHES	22
RV, TRAILER, OVER SIZED VEHICLE PARKING, PERMITS	36-38
SATELLITE DISHES	39
SEDIMENT CONTROL	38
SERVICE AREA	28
SHEDS	12
SIGNS – REGULATIONS, GENERAL AND SPECIFIC CRITERIA	30,31-34,35,40
STOP WORK ORDERS	30
STORAGE STRUCTURES	13
STORM DRAINAGE	30
TEMPORARY FENCING	18
TRAILERS	36
TRASH CONTAINERS	28,29
TREE REMOVAL, TRIMMING	26
VARIANCES TO THE DECLARATIONS OF RESTRICTIONS	5
VEHICLE STORAGE	40